




# Unisto Metalo 15



Unisto Metalo 15 to seal calibrators, valves or all applications which request small diameter of the cable. These barrier security seals protect goods from opportunistic attack. Our Security Cable Seals are available in different colours for logistic purposes. Customisable with customer name, number and barcode to make each seal unique which supports and secures logistical processes. Light cutters are required to open the seal.

## Features of this security seal

### Type of seal

Cable Seals


---

### Application

Container, Doors of Trucks and Trailers

---

- Unique designed locking mechanism which firmly secures the seal in position to eliminate any possibility of tampering
- Non-preformed cables unravels after cut to prevent multiple re-sealing
- Barrier security seals protect goods from opportunistic attack
- Customer name on seal for clear identification and enhanced security
- Direct laser-marking suited for rough handling and prevents tampering
- Barcoded numbering for fast, accurate reliable data capture and streamlining operations
- Various colours for logistical functions



#### Materials

Seal casing: aluminium alloy. Cable: high quality cable. Locking roller: heat treated carbon steel. Tension spring: heat treated high tensile steel.

#### Dimensions

Housing: 25 x 21 x 7 mm Cable: diameter 1.5 mm, length 250 mm. Others lengths on request

#### Tensile strength (loop)

Approx. 300 kg

#### Barcode/Number

Directly laser marked barcode 128 - 6 digits Numbered - 6 digits Others on request

#### Customer name

Directly laser marked

#### Colours (Housing)

Black, blue, red, green, orange Other colours available on request

#### Packing

Bundles of 10, box of 500 seals 315 x 210 x 115 cm (0.008 m<sup>3</sup>), approx. 5.5 kg 25'000 seals per pallet. Other packaging details for longer cables on request